



# IECEX Certificate of Conformity

## INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit [www.iecex.com](http://www.iecex.com)

Certificate No.: **IECEX EPS 19.0035X** Page 1 of 3 [Certificate history:](#)

Status: **Current** Issue No: 0

Date of Issue: 2020-01-31

Applicant: **i.safe MOBILE GmbH**  
i\_Park Tauberfranken 10  
97922 Lauda-Koenigshofen  
Germany

Equipment: **IS930.2 Intrinsically safe industrial tablet**

Optional accessory:

Type of Protection: **intrinsic safety "i"**

Marking: Ex ic IIC T4 Gc IP64  
Ex ic IIIC T135°C Dc IP64

Approved for issue on behalf of the IECEx  
Certification Body:

Position:

Signature:  
(for printed version)

Date:

**Holger Schaffer**

**Certification Manager**

2020-01-31



1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting [www.iecex.com](http://www.iecex.com) or use of this QR Code.

Certificate issued by:

**Bureau Veritas Consumer Products Services Germany GmbH**  
Businesspark A96  
86842 Türkheim  
Germany





# IECEX Certificate of Conformity

Certificate No.: **IECEX EPS 19.0035X**

Page 2 of 3

Date of issue: 2020-01-31

Issue No: 0

Manufacturer: **i.safe MOBILE GmbH**  
i\_Park Tauberfranken 10  
97922 Lauda-Koenigshofen  
Germany

Additional  
manufacturing  
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

## STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

**IEC 60079-0:2017** Explosive atmospheres - Part 0: Equipment - General requirements  
Edition:7.0

**IEC 60079-11:2011** Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"  
Edition:6.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

## TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

DE/EPS/ExTR19.0033/00

Quality Assessment Report:

DE/EPS/QAR12.0003/07



# IECEx Certificate of Conformity

Certificate No.: **IECEx EPS 19.0035X**

Page 3 of 3

Date of issue: 2020-01-31

Issue No: 0

## **EQUIPMENT:**

Equipment and systems covered by this Certificate are as follows:

The IS930.2 is the intrinsically safe and rugged industrial tablet for use in explosion hazardous areas of zone 2 and 22. The IS930.2 provides numerous technologies like 4G (LTE), NFC, GPS, Wi-Fi and Bluetooth LE. Equipped with an Android operating system, amplified loudspeaker and option keys, which allows the allocation of user specific functions or applications.

### Electrical data:

Supply: The tablet IS930.2 has a fixed installed rechargeable Li-Ion battery  $U_0 = 3.8 \text{ V}$  ( $U_{0\_max} = 4.2 \text{ V}$ ).

Interfaces: The opening of the interface covers in explosive atmospheres is not permitted.

Wired data connection and charging is only allowed outside ex-hazardous areas.

The device has an USB interface (Type C), a magnetic charging connector and a 24 pin docking connector (all  $U_m = 5.88 \text{ V}$ ). The i.safe MOBILE docking station DS930.1, DS930.2 or other approved accessory may be used. A list of approved accessories can be found at [www.isafe-mobile.com](http://www.isafe-mobile.com).

A commercially available SD card may be used in the corresponding slot in the hazardous area. The internal electrical capacity of the SD card is negligible.

### **SPECIFIC CONDITIONS OF USE: YES as shown below:**

The battery may be charged outside explosion hazardous areas only.

The device must be protected against permanent UV light emission and high electrostatic charge processes.

The permitted ambient temperature range is  $-20^{\circ}\text{C}$  to  $+60^{\circ}\text{C}$ .