

FM Approvals  
1151 Boston Providence Turnpike  
P.O. Box 9102 Norwood, MA 02062 USA  
T: 781 762 4300 F: 781-762-9375 www.fmapprovals.com

# CERTIFICATE OF COMPLIANCE

## HAZARDOUS (CLASSIFIED) LOCATION ELECTRICAL EQUIPMENT

This certificate is issued for the following equipment:

***iTAG100-5, iTAG100-5-CB, TAG2000X5, TAG2000X5-CB RFID Tag***

***IS/I,II,III/1/ABCDEFGH; \****

*\*Special Conditions of Use:*

*For Intrinsic Safety Temperature code and Ambient temperatures are as follows:*

Temperature Code T6 for a maximum ambient temperature of 30°C

Temperature Code T5 for a maximum ambient temperature of 45°C.

Temperature Code T4 for a maximum ambient temperature of 75°C.

### Equipment Ratings:

Intrinsically Safe for Class I, II, III, Division 1, Groups A, B, C, D, E, F and G Hazardous Locations.

### FM Approved for:

Extronics Ltd.  
Congleton, United Kingdom

This certifies that the equipment described has been found to comply with the following Approval Standards and other documents:

Class 3600	1998
Class 3610	2010
Class 3810	2005

Original Project ID: 3028837

Approval Granted: May 16, 2008

Subsequent Revision Reports / Date Approval Amended

Report Number	Date	Report Number	Date
110421	May 25, 2011		
3043024	October 4, 2011		

FM Approvals LLC



J. E. Marquedant  
Group Manager, Electrical

4 October 2011  
Date